



SHORING

POST SHORE



MODUL-R POST SHORE



ALUMINUM SHORING FRAME



H COUPLING PIN FOR SHORING FRAME



I J-HEAD




J BASE PLATE FOR ALUMINUM SHORING FRAME



K SCREW JACK FOR ALUMINUM SHORING FRAME



D BRACING TRESTLE



E POST SHORE WRENCH



SLCLEA

**F SHORE BOLT ASSEMBLY
1/2" X 1 1/2"**



SLBOULASSMDR

POST SHORE

| REF. | DESCRIPTION | DIMENSION | CODE | WEIGHT |
|----------|-----------------|-----------------|--------|--------|
| A | NO.0 POST SHORE | 3' 6" À 6' | POT000 | 48 LB |
| | NO.1 POST SHORE | 5' 9" À 10' 3" | POT001 | 52 LB |
| | NO.2 POST SHORE | 6' 6" À 11' | POT002 | 56 LB |
| | NO.3 POST SHORE | 8' 6" À 13' | POT003 | 63 LB |
| | NO.4 POST SHORE | 10' 6" À 15' 9" | POT004 | 75 LB |

MODUL-R POST SHORE

| REF. | DESCRIPTION | DIMENSION | CODE | WEIGHT |
|----------|----------------------------------|---------------------|------------|---------|
| B | 3M MODUL-R POST SHORE | 5' 9" À 9' 8" | ALUUP3M | 41 LB |
| | 4M MODUL-R POST SHORE | 9' 0" À 12'-11" | ALUUP4M | 53.4 LB |
| | 5M MODUL-R POST SHORE | 12' 3" À 16' 2 1/2" | ALUUP5M | 62.2 LB |
| C | 1M EXTENSION MODUL-R POST SHORE | 1 M (39 3/8") | ALUPEXT | 10 LB |
| D | BRACING TRESTLE | 2' | SLMDRJT02 | 23 LB |
| | BRACING TRESTLE | 2' 6" | SLMDRJT026 | 24 LB |
| | BRACING TRESTLE | 4' | SLMDRJT04 | 30 LB |
| | BRACING TRESTLE | 5' | SLMDRJT05 | 34 LB |
| | BRACING TRESTLE | 5' 1" | SLMDRJT051 | 37.5 LB |
| | BRACING TRESTLE | 6' | SLMDRJT06 | 40 LB |
| | BRACING TRESTLE | 7' | SLMDRJT07 | 47 LB |
| | BRACING TRESTLE | 7' 6" | SLMDRJT076 | 47.5 LB |
| | BRACING TRESTLE | 8' | SLMDRJT08 | 48 LB |
| | BRACING TRESTLE | 10' | SLMDRJT10 | 50 LB |
| E | MODUL-R POST SHORE WRENCH | 18" | SLCLEAC | 5 LB |
| F | MODUL-R POST SHORE BOLT ASSEMBLY | 1/2" X 1 1/2" | BOULASSMDR | N/A |

ALUMINUM SHORING FRAME

| REF. | DESCRIPTION | DIM. | CODE | WEIGHT |
|----------|---------------------------------------|---------|-------------|--------|
| G | ALUMINUM SHORING FRAME | 4' X 4' | SLMFHD44 | 50 LB |
| | ALUMINUM SHORING FRAME | 4' X 5' | SLMFHD45 | 55 LB |
| | ALUMINUM SHORING FRAME | 4' X 6' | SLMFHD46 | 60 LB |
| | ALUMINUM SHORING FRAME | 4' X 8' | SLMFHD48 | 70 LB |
| H | COUPLING PIN FOR SHORING FRAME | 8" | SLGOUPILHD | 1.2 LB |
| I | J-HEAD | 6" X 8" | SLJHEAD | 3 LB |
| J | BASE PLATE FOR ALUMINUM SHORING FRAME | 5" X 5" | SLMFHDPBASE | 5 LB |
| K | SCREW JACK FOR ALUMINUM SHORING FRAME | 32" | SLMFHDVERIN | 15 LB |

ALUMINUM BEAM



A



B IRON ANGLE SUPPORT FOR ALUMINUM BEAM



ALUBOUT

Used for angled surface

C SLABGRAB



SLABGRAB

D STABILIZING PLATE FOR SLAB GRAB



SLABPLAQ

E V CLAMP



VCLAMP

F ALUMINUM BEAM CLIP



ALUATT

G DOUBLE ALUMINUM BEAM CLIP



ALUATTD

H Z CLIP FOR ALUMA BEAM



ZCLAMP

I BOLT REPLACEMENT FOR ALUM. BEAM CLIP



ALUBOLT

TUFSTUD BEAM

J



23 CM

GALVANIZED PRODUCT

SUPER STUD BEAM

K



23 CM

YELLOW PAINT PRODUCT

COMPATIBILITY

Beams TUFSTUD and SUPERSTUD are compatible

N STEEL PLATE (TUFSTUD)



PLAQ581010

O SWIVEL HEAD SCREW JACK



EFCOJACK

P HUB PAINTED YELLOW



EFHUB230

Q EFCO / TUFSTUD "L" CLIP



EFCOLCLIP

R EFCO BOLT (QUICK BOLT) ASSEMBLY



ALUMINUM BEAM

| REF. | DESCRIPTION | DIM. | CODE | COLOR | WEIGHT | DESCRIPTION | DIM. | CODE | COLOR | WEIGHT | DESCRIPTION | DIM. | CODE | COLOR | WEIGHT |
|----------|-------------|------|---------|--------|---------|-------------|--------|----------|--------|---------|-------------|------|---------|--------|---------|
| A | ALU. BEAM | 2' | ALUMA02 | RED | 7.5 LB | ALU. BEAM | 10' | ALUMA10 | FLUO | 38 LB | ALU. BEAM | 17' | ALUMA17 | BLACK | 64.6 LB |
| | ALU. BEAM | 3' | ALUMA03 | BLUE | 11.4 LB | ALU. BEAM | 10' 6" | ALUMA106 | GREEN | 40 LB | ALU. BEAM | 18' | ALUMA18 | BROWN | 68 LB |
| | ALU. BEAM | 4' | ALUMA04 | RED | 15 LB | ALU. BEAM | 11' | ALUMA11 | BLACK | 41.8 LB | ALU. BEAM | 20' | ALUMA20 | GREEN | 74 LB |
| | ALU. BEAM | 5' | ALUMA05 | GREEN | 19 LB | ALU. BEAM | 12' | ALUMA12 | BLUE | 45 LB | ALU. BEAM | 21' | ALUMA21 | YELLOW | 79 LB |
| | ALU. BEAM | 6' | ALUMA06 | BLUE | 23 LB | ALU. BEAM | 13' | ALUMA13 | BLACK | 46 LB | ALU. BEAM | 24' | ALUMA24 | BLUE | 90 LB |
| | ALU. BEAM | 7' | ALUMA07 | YELLOW | 26 LB | ALU. BEAM | 14' | ALUMA14 | YELLOW | 53 LB | ALU. BEAM | 28' | ALUMA28 | YELLOW | 106 LB |
| | ALU. BEAM | 8' | ALUMA08 | RED | 30 LB | ALU. BEAM | 15' | ALUMA15 | BLACK | 57 LB | ALU. BEAM | 32' | ALUMA32 | RED | 122 LB |
| | ALU. BEAM | 9' | ALUMA09 | BROWN | 34.2 LB | ALU. BEAM | 16' | ALUMA16 | RED | 60 LB | ALU. BEAM | 42' | ALUMA42 | - | 132 LB |

ALUMINUM BEAM ACCESSORIES

| REF. | DESCRIPTION | CODE | WEIGHT | REF. | DESCRIPTION | CODE | WEIGHT |
|----------|---|----------|--------|----------|--------------------------------------|---------|---------|
| B | IRON ANGLE SUPPORT FOR ALUM. BEAM (2 X 3 X 11") | ALUBOUT | 4.6 LB | F | ALUMINUM BEAM CLIP | ALUATT | 0.5 LB |
| C | SLABGRAB | SLABGRAB | 13 LB | G | DOUBLE ALUMINUM BEAM CLIP | ALUATTD | 0.6 LB |
| D | STABILIZING PLATE FOR SLAB GRAB | SLABPLAQ | 1.5 LB | H | Z CLIP FOR ALUMA BEAM | ZCLAMP | 0.5 LB |
| E | V CLAMP | VCLAMP | 1.5 LB | I | BOLT REPLACEMENT FOR ALUM. BEAM CLIP | ALUBOLT | 0.16 LB |

L HD SCREW JACK WITH 5/8" 10" X 10" PLATE



VER24P10

M PLATE WITH SCREW JACK HOLDER



SUPJACPLA

S EFCO BOLT A325 W/NUT & WASHER



EFCOBOLTR0LBAC

TUFSTUD BEAM

| REF. | DESCRIPTION | DIMENSION | CODE | WEIGHT |
|----------|--------------------|--------------|--------------|--------|
| J | TUFSTUD BEAM GALV. | 18" (0.45 M) | TUFSTUD0.45G | 30 LB |
| | TUFSTUD BEAM GALV. | 3' (0.9 M) | TUFSTUD0.9G | 58 LB |
| | TUFSTUD BEAM GALV. | 6' (1.8 M) | TUFSTUD1.8G | 98 LB |
| | TUFSTUD BEAM GALV. | 12' (3.6 M) | TUFSTUD3.6G | 170 LB |

SUPER STUD BEAM

| REF. | DESCRIPTION | DIM. | CODE | COLOR CODE | WEIGHT |
|----------|-----------------|-----------------|-----------|------------|--------|
| K | SUPER STUD BEAM | 0.45 M (1 1/2') | EFCOS15 | | 36 LB |
| | SUPER STUD BEAM | 18" | EFCOS18US | BLUE | 37 LB |
| | SUPER STUD BEAM | 0.9 M (3') | EFCOS3 | | 55 LB |
| | SUPER STUD BEAM | 3' | EFCOS3US | BLUE | 55 LB |
| | SUPER STUD BEAM | 1.8 M (6') | EFCOS6 | | 95 LB |
| | SUPER STUD BEAM | 6' | EFCOS6US | BLUE | 95 LB |
| | SUPER STUD BEAM | 3.6 M (12') | EFCOS12 | | 163 LB |
| | SUPER STUD BEAM | 12' | EFCOS12US | BLUE | 163 LB |

SUPER STUD AND TUFSTUD ACCESSORIES

| REF. | DESCRIPTION | DIMENSION | CODE | WEIGHT |
|----------|---------------------------------|---------------------------|----------------|---------|
| L | HD SCREW JACK | 5/8" X 10" X 10" | VER24P10 | 23.6 LB |
| M | PLATE WITH SCREW JACK HOLDER | 9" X 14" | SUPJACPLA | 23.6 LB |
| N | STEEL PLATE (TUFSTUD) | 5/8" X 10" X 10" | PLA0581010 | 10 LB |
| O | SWIVEL HEAD SCREW JACK | 28 1/2" X 8 3/4" X 8 3/4" | EFCOJACK | 62 LB |
| P | HUB (YELLOW PAINT) | 9" X 9" | EFHUB230 | 42 LB |
| Q | EFCO / TUFSTUD "L" CLIP | 2" X 4 1/2" | EFCOLCLIP | 1 LB |
| R | EFCO BOLT (QUICK BOLT) ASSEMBLY | 3/4" X 1 1/2" | EFBOLT112 | 0.48 LB |
| | EFCO BOLT (QUICK BOLT) ASSEMBLY | 3/4" X 2" | EFBOLT2 | 0.5 LB |
| | EFCO BOLT (QUICK BOLT) ASSEMBLY | 3/4" X 3" | EFBOLT3 | 0.56 LB |
| | EFCO BOLT (QUICK BOLT) ASSEMBLY | 3/4" X 4" | EFBOLT4 | 0.57 LB |
| | EFCO BOLT (QUICK BOLT) ASSEMBLY | 3/4" X 5" | EFBOLT5 | 0.58 LB |
| S | EFCO BOLT A325 W/NUT & WASHER | 1" X 4" | EFCOBOLTR0LBAC | 1.2 LB |